



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/747,848	12/29/2003	David Tseng		6431
23122	7590	05/09/2007	EXAMINER	
RATNERPRESTIA			IZQUIERDO, DAVID A	
P O BOX 980			ART UNIT	PAPER NUMBER
VALLEY FORGE, PA 19482-0980			3738	
			MAIL DATE	DELIVERY MODE
			05/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

SWA

Office Action Summary	Application No.	Applicant(s)
	10/747,848	TSENG ET AL.
	Examiner	Art Unit
	David A. Izquierdo	3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 21 February 2007.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-4, 14-16, 18-21, 23, 25-27 and 29-31 is/are rejected.
- 7) Claim(s) 5-13, 17, 22, 24 and 28 is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)


1) <input type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)	5) <input type="checkbox"/> Notice of Informal Patent Application
Paper No(s)/Mail Date _____	6) <input type="checkbox"/> Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 21 February 2007 have been fully considered but they are not persuasive. Applicant has argued that the U.S.C. 102(b) rejection in view of Nadal et al. (European Patent Number 0757904 A1) should be withdrawn because the claim language pertains to a plurality of hoops disposed in a helical configuration, a feature Applicant asserts is not present within the Nadal reference. However, as can be seen in Figure 2 each hoop (19a, 17a, 15a, 13a) contains a segment which extends both circumferentially and helically around the longitudinal axis (11) in substantially the same configuration as the claimed invention, for clarification a copy of Figure 2 with modified labels has been provided below.

2. Although a similar reference was applied previously by another Examiner the current Examiner maintains that the Nadal reference anticipates the claimed invention.



Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1- 4, 14-16, 18-21, 23, 25-27 and 29-31 rejected under 35 U.S.C. 102(b) as being anticipated by Nadal (European Patent Number 0757904 A1).

5. Nadal discloses an intraluminal stent comprised of a plurality of circumferential hoops disposed in a helical succession along the axis of the stent wherein the hoops are comprised of elements defined by substantially straight struts connected by apex sections alternately pointing in opposite axial directions, the intraluminal stent further comprising connecting members between adjacent hoops wherein the hoops can be either directly connected or connected by means of a bridging member.

6. Nadal further discloses an intraluminal stent wherein an apex section comprises two struts attached thereto and one strut is longer than the other strut. See Figures 2, 3, 5 and 6.

7. Nadal also discloses an intraluminal stent wherein the apex sections are comprised of a uniform angle except for selected apex sections having a non-uniform angle, the non-uniform angle apex sections configured to align a first strut with a second strut in an adjacent hoop. See Figure 8.

Allowable Subject Matter

8. Claims 5-13, 17, 22, 24, and 28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
10. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.
11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Izquierdo whose telephone number is 571-272-1943. The examiner can normally be reached on Monday through Friday from 8:00 am until 4:30 pm.
12. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Art Unit: 3738

13. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David A. Izquierdo



Patent Examiner



CORRINE McDERMOTT
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700